

Quality of the Soil, Timber, &c. on the Township Lines.

East Boundary.

Sec. 36

Gently rolling 1<sup>st</sup> rate Beech Sugar Oak Elm Walnut Buckeye &c U. S. Spice Paupaw &c

" 25

Level rich 2<sup>nd</sup> rate part gently rolling Timber &c Same

" 24

Same

" 13

Flat 2<sup>nd</sup> rate Elm Oak Sugar Hickory Oak Poplar &c U. S. Spice &c

" 12

Same

" 1

Same

South Boundary.

Sec. 36

Rolling 1<sup>st</sup> rate land Beech Sugar Hickory Oak Walnut &c U. S. Spice Paupaw &c

" 35

Same

" 34

Same

" 33

Same only 2<sup>nd</sup> rate

" 32

Level 1<sup>st</sup> rate Oak Birch Elm Oak Sugar &c U. S. Spice Paupaw &c

" 31

Rolling 1<sup>st</sup> rate Timber Oak Beech Sugar, U. S. Spice & Paupaw &c

Description of the Land, Timber, &c. on the Interior Sectional Lines.

35, 36, 25, 36, 25, 26, 24, 25, 23, 24, 13, 24, 13, 14, 12, 13, 11, 12, 1, 12, 1, 2, 34, 35, 26, 35, 26, 27, 23, 26, 22, 23, 14, 23, 14, 15, 11, 14, 10, 11, 2, 11, 2, 3, 33, 34, 27, 34, 27, 28, 22, 27, 21, 22, 15, 22, 15, 16, 10, 15, 9, 10, 3, 10, 3, 4, 32, 33, 28, 33, 28, 29, 21, 28, 20, 21, 16, 21, 16, 17, 9, 16, 8, 9, 4, 9, 4, 5, 31, 32, 29, 32, 30, 31, 29, 30, 20, 29, 19, 30, 19, 20, 17, 20, 18, 19, 17, 18, 8, 17, 7, 18, 7, 8, 5, 8, 6, 7, 5, 6,

First 1/2 first rate, Last 1/2 Level 2<sup>nd</sup> rate Sugar Beech Oak Elm Walnut &c Spice Paupaw &c  
1<sup>st</sup> 1/2 Same as last 1/2 of mile & last 1/2 Same as 1<sup>st</sup> 1/2 last mile  
Flat 2<sup>nd</sup> rate land Oak Elm Hickory Beech Sugar &c Spice &c  
Same  
Same  
Same gently rolling  
Same Level  
Same  
Same  
Same  
Same  
Gently rolling 2<sup>nd</sup> rate Beech Sugar Oak Elm Sycamore Walnut &c Spice Oak &c  
Level, otherwise same  
Same  
Same  
Same  
Same  
Same  
Same  
Level 2<sup>nd</sup> rate land Beech Sugar Oak Elm Maple Hickory &c Spice &c Oak &c  
Same & addition of Poplar and Oak  
Gently rolling flat 2<sup>nd</sup> rate Beech Oak Oak Elm Hickory Sugar Spice Willow &c Oak  
Same  
Gently rolling otherwise same  
Level 2<sup>nd</sup> rate Beech Oak Oak Elm Poplar Sycamore &c Spice Oak &c  
Same  
Same  
Same  
Gently rolling otherwise same  
Same  
Same  
Same  
Same  
Same  
Gently rolling rich 2<sup>nd</sup> rate Beech Sugar Oak Elm Walnut Buckeye &c Spice &c  
Same  
Same  
Same 1<sup>st</sup> rate  
Level 2<sup>nd</sup> rate Timber same  
Gently rolling 2<sup>nd</sup> rate Beech Sugar Oak Elm &c Spice Oak &c  
Level 2<sup>nd</sup> rate Elm Oak Hickory Poplar Beech Sugar &c Spice B. Oak &c  
Same  
Same  
1<sup>st</sup> 1/2 mile same last 1/2 rolling 2<sup>nd</sup> rate rich bottom Beech Poplar Oak Elm Walnut &c Spice &c  
Level 2<sup>nd</sup> rate Beech Elm Oak Oak Hickory Walnut &c Sugar Spice Oak &c  
Gently rolling otherwise same  
Same  
Same  
Same  
1<sup>st</sup> 1/2 mile, Last 1/2 level 2<sup>nd</sup> rate, Timber same,

The figures in this column refer to the Posts numbered in red ink on the Plate.

Posts.	Bearing Trees.	Inches diam'r.	Courses they bear.	Links distant
1				
2				
3				
4				
5				
6				
7				
8				
9				
10				
11				
12				
13				
14				
15				
16				
17				
18				
19				
20				
21				
22				
23				
24				
25				
26				
27				
28				
29				
30				
31				
32				
33				
34				
35				
36				
37				



## Exterior Section and Quarter Section Corners Described.

Posts.	Bearing Trees.	Inches diam'r.	Courses they bear.	Links distant.	Posts.	Bearing Trees.	Inches diam'r.	Courses they bear.	Links distant.
<b>A</b>	Hickory	10	S 41 E	33	<b>u</b>	Poplar	42	S 82 W	16
<b>a</b>	Buck	13	S 27 W	35	<b>v</b>	Beech	11	S 9 W	19
<b>B</b>	G Oak	26	S 3 E	45	<b>v</b>	Beech	18	S 82 E	34
<b>b</b>	Buck	24	S 19 W	48	<b>v</b>	Do	10	S 78 E	16
<b>c</b>	Buck	12	S 76 W	14	<b>v</b>	Beech	17	Corner	
<b>c</b>	Do	10	S 65 E	18	<b>W</b>	Red Oak	12	S 56 E	21
<b>D</b>	Sup Oak	6	S 6 E	20	<b>W</b>	H Walnut	12	S 69 E	32
<b>d</b>	G Oak	4	S 61 W	20	<b>W</b>	Beech	10	S 27 W	36
<b>E</b>	Beech	14	S 31 W	20	<b>W</b>	Hornbeam	4	S 2 W	21
<b>e</b>	Do	7	S 77 E	23	<b>X</b>	Beech	7	S 86 E	40
<b>F</b>	Beech	24	S 57 W	31	<b>X</b>	Do	10	S 34 E	22
<b>f</b>	Do	8	S 55 E	32	<b>x</b>	Basswood	4	S 87 W	30
<b>G</b>	Beech	20	S 80 W	40	<b>x</b>	Buck	7	S 21 W	40
<b>g</b>	Do	10	S 44 W	48	<b>Y</b>	Hornbeam	4	S 57 E	40
<b>H</b>	Buck	24	S 47 W	43	<b>Y</b>	Sugar	10	S 45 E	60
<b>h</b>	Beech	7	S 44 W	39	<b>y</b>	Hornbeam	4	S 81 W	7
<b>i</b>	Do	8	S 34 W	38		Pin Oak	10	S 39 W	19
<b>I</b>	Sugar	8	S 44 W	39					
<b>I</b>	Do	9	S 67 W	35					
<b>I</b>	Buck	10	S 8 W	2					
<b>i</b>	Sup Oak	12	S 24 W	16					
<b>i</b>	Hickory	5	S 19 W	41					
<b>K</b>	Buck	20	S 59 W	58					
<b>k</b>	Poplar	47	S 30 W	3					
<b>k</b>	Sugar	10	S 33 W	24					
<b>k</b>	Willow	6	S 37 E	184					
<b>L</b>	Maple	10	S 37 W	2.15					
<b>L</b>	Beech	11	S 38 W	43					
<b>l</b>	Do	12	W 40	34					
<b>l</b>	Beech	13	S 82 W	30					
<b>l</b>	Do	9	S 42 W	26					
<b>M</b>	40 Bearing	noted							
<b>m</b>	Beech	22	S 29 W	40					
<b>m</b>	Do	7	S 32 W	22					
<b>N</b>	Beech	30	S 78 W	47					
<b>n</b>	W Elm	7	S 46 E	39					
<b>n</b>	Hornbeam	10	S 23 E	22					
<b>n</b>	Buckeye	20	S 12 W	57					
<b>O</b>	Buck	22	S 46 E	21					
<b>o</b>	Do	26	S 35 W	60					
<b>o</b>	Buck	7	S 39 W	26					
<b>P</b>	Sugar	22	S 64 E	18					
<b>P</b>	Sugar	19	S 71 W	32					
<b>P</b>	Do	11	S 44 W	34					
<b>p</b>	Beech	19	S 17 W	13					
<b>p</b>	Do	18	S 83 W	58					
<b>Q</b>	Beech	6	S 42 W	43					
<b>q</b>	Do	9	S 45 E	24					
<b>q</b>	Sugar	19	S 35 W	35					
<b>Q</b>	W Elm	5	S 9 W	20					
<b>R</b>	Beech	24	S 51 E	13					
<b>r</b>	Do	22	S 54 W	55					
<b>r</b>	G Oak	30	S 41 W	33					
<b>s</b>	Buckeye	3	S 88 E	8					
<b>S</b>	Beech	20	S 11 W	25					
<b>s</b>	Do	22	S 53 E	20					
<b>s</b>	Beech	12	S 73 W	58					
<b>T</b>	Sugar	10	S 55 E	19					
<b>T</b>	Sugar	3	S 22 W	14					
<b>t</b>	Buckeye	10	S 46 E	68					
<b>t</b>	Beech	26	S 60 W	59					
<b>U</b>	Do	15	S 43 W	59					
<b>U</b>	Beech	9	S 14 W	25					
<b>u</b>	Do	12	S 42 W	10					

## Interior Section Corners Described.


Corners of Sections.	Bearing Trees.	Inches diam'r.	Courses they bear.	Links distant.
25, 26, 35, 36,	Sugar	24	S 45 W	24
23, 24, 25, 26,	Beech	19	S 65 E	40
13, 14, 23, 24,	Red Oak	9	S 71 E	16
11, 12, 13, 14,	Do	8	S 52 W	30
1, 2, 11, 12,	Beech	16	S 21 E	8
26, 27, 34, 35,	Do	8	S 61 W	22
22, 23, 26, 27,	Red Oak	20	S 57 W	18
14, 15, 22, 23,	Maple	7	S 34 E	21
10, 11, 14, 15,	Beech	11	S 34 W	33
2, 3, 10, 11,	Do	7	S 9 E	25
27, 28, 33, 34,	Do	7	S 9 E	25
21, 22, 27, 28,	Basswood	11	S 60 W	26
15, 16, 21, 22,	W Elm	7	S 55 E	21
9, 10, 15, 16,	Beech	22	S 43 E	50
3, 4, 9, 10,	Do	12	S 63 W	22
28, 29, 32, 33,	Do	12	S 70 W	38
20, 21, 28, 29,	Beech	14	S 85 E	33
16, 17, 20, 21,	Beech	7	S 57 W	9
8, 9, 16, 17,	Do	17	S 33 E	22
4, 5, 8, 9,	Sugar	24	S 11 E	53
29, 30, 31, 32,	Beech	20	S 30 W	27
19, 20, 29, 30,	Sup Oak	10	S 61 E	17
17, 18, 19, 20,	Do	11	S 34 W	15
7, 8, 17, 18,	Red Oak	49	East	2
5, 6, 7, 8,	Beech	24	S 63 W	21
	Beech	26	S 28 E	18
	Do	12	S 40 E	7
	Beech	22	S 25 W	26
	Do	12	S 44 E	12
	Beech	11	S 42 W	45
	Do	20	S 52 E	33
	Sugar	10	S 85 W	20
	Beech	24	S 74 E	6
	G Oak	36	S 67 W	14
	W Elm	24	S 61 E	26
	Sup Oak	4	S 73 W	24
	Do	10	S 54 E	34
	Red Oak	40	S 29 W	10
	Brownwood	4	S 52 E	14
	Beech	28	S 54 W	26
	Do	20	S 50 E	42
	Beech	18	S 60 W	20
	Do	24	S 37 E	13
	Beech	20	S 45 W	5
	Buckeye	20	S 26 E	27
	Beech	13	S 75 E	50
	Do	6	S 79 W	20
	Beech	20	S 87 E	50
	Brownwood	6	S 65 W	16
	Beech	18	S 18 W	13
	Sugar	34	S 63 E	21

## Interior Quarter Section Corners Described.

Qr. Sec. Posts on the Lines.	Bearing Trees.	Inches diam'r.	Courses they bear.	Links distant.	Qr. Sec. Posts on the Lines.	Bearing Trees.	Inches diam'r.	Courses they bear.	Links distant.
<b>M to U at 1</b>	Beech	12	S 67 E	57	<b>P to E at 1</b>	Beech	28	S 75 E	28
	Do	10	S 45 W	27		Do	12	S 74 W	33
<b>2</b>	Beech	10	S 40 E	17	<b>2</b>	Beech	16	S 4 W	18
	Do	10	S 40 W	13		Do	24	S 18 E	24
<b>3</b>	Buckeye	4	S 17 E	17	<b>3</b>	Beech	20	S 68 W	27
	Hornbeam	3	S 21 W	12		Red Oak	4	S 75 E	25
<b>4</b>	Beech	13	S 34 E	14	<b>4</b>	Beech	8	S 7 E	22
	Do	7	S 44 W	18		Spruce	5	S 46 W	30
<b>5</b>	Beech	8	S 50 W	7	<b>5</b>	Beech	7	S 10 W	30
	Do	14	S 58 E	13		Do	5	S 4 W	30
<b>6</b>	Beech	20	S 80 W	13	<b>6</b>	Beech	12	S 49 W	24
	Do	30	S 57 E	36		Do	20	South	8
<b>L to V at 1</b>	Red Oak	12	S 49 E	20	<b>Q to D at 1</b>	Haw	4	W 40	23
	Do	12	S 49 W	6		Red Oak	22	S 43 E	3
<b>2</b>	W Oak	55	East	24	<b>2</b>	W Elm	6	S 41 W	22
	Spruce	2	S 64 W	17		Do	12	S 20 E	30
<b>3</b>	Willow	10	S 79 W	195	<b>3</b>	Poplar	7	S 60 W	23
	Buck	10	S 36 E	210		W Elm	24	S 52 E	26
<b>4</b>	W Elm	46	S 73 W	1	<b>4</b>	G Oak	26	S 42 E	8
	Buckeye	7	S 73 E	32		Do	12	S 42 W	26
<b>5</b>	Beech	23	S 40 W	13	<b>5</b>	Beech	12	S 60 W	34
	Brownwood	4	S 30 E	16		Do	7	S 25 E	15
<b>6</b>	Beech	17	S 48 E	26	<b>6</b>	Beech	9	S 68 W	30
	Sugar	9	S 68 W	14		Cherry	6	S 42 E	7
<b>K to W at 1</b>	Beech	7	S 17 E	36	<b>R to C at 1</b>	Beech	10	S 86 E	16
	Do	18	S 29 W	45		W Elm	20	S 19 W	21
<b>2</b>	W Elm	20	S 49 W	13	<b>2</b>	Beech	20	S 65 W	41
	Beech	16	S 40 E	22		Sup Oak	7	S 80 E	40
<b>3</b>	Beech	10	S 26 E	13	<b>3</b>	Buck	6	S 87 E	10
	Do	12	S 25 W	10		W Elm	40	S 47 W	31
<b>4</b>	Beech	11	S 62 W	14	<b>4</b>	Buck	9	S 28 W	21
	Spruce	4	S 42 E	30		Maple	9	S 28 E	15
<b>5</b>	Beech	18	S 12 E	31	<b>5</b>	Beech	20	S 17 W	10
	Brownwood	4	S 36 E	20		Do	21	S 46 E	40
<b>6</b>	Beech	12	S 21 W	25	<b>6</b>	Beech	8	S 85 W	6
	Do	14	S 32 E	33		Do	22	S 64 E	26
<b>I to X at 1</b>	G Oak	5	S 1 E	44	<b>S to B at 1</b>	Beech	22	S 76 E	25
	Red Oak	5	S 1 W	29		Do	14	S 81 W	15
<b>2</b>	Beech	7	S 24 W	34	<b>2</b>	Buckeye	6	S 58 W	8
	Do	12	S 40 W	19		Beech	10	S 43 E	23
<b>3</b>	Beech	10	S 64 W	28	<b>3</b>	Beech	27	S 86 W	40
	Do	7	S 62 E	38		Do	20	S 64 E	38
<b>4</b>	Beech	10	S 8 E	28	<b>4</b>	Beech	16	S 54 W	36
	Do	22	S 16 W	45		Do	9	S 42 E	38
<b>5</b>	Beech	10	Corner		<b>5</b>	W Elm	114	S 30 W	2
	Beech	9	S 81 W	27		Maple	29	S 78 E	44
<b>6</b>	Do	8	S 43 E	44	<b>6</b>	G Oak	7	S 65 W	30
	Spruce	4	S 25 W	8		W Elm	40	S 27 E	5
<b>H to Y at 1</b>	Beech	8	S 70 E	24					
<b>2</b>	Beech	24	S 34 W	21					
	Do	30	S 34 E	8					
<b>3</b>	Beech	8	S 8 E	4					
	Do	12	S 36 W	38					
<b>4</b>	Beech	18	S 44 E	28					
	Sugar	19	S 10 E	23					
<b>5</b>	Poplar	72	S 18 W	5					
	Sugar	18	S 10 W	18					
<b>6</b>	Beech	10	S 75 W	30					
	Do	10	S 72 E	51					
<b>O to F at 1</b>	Beech	11	S 62 E	29					
	Sugar	24	S 83 W	57					
<b>2</b>	W Beech	5	S 46 W	5					
	Buck	30	S 72 E	21					
<b>3</b>	G Oak	22	S 82 E	15					
	Spruce	4	S 55 W	3					
<b>4</b>	Beech	9	S 35 W	3					
	Do	17	S 55 E	19					
<b>5</b>	Buckeye	7	S 31 E	20					



# Township N<sup>o</sup> 24 N. Range N<sup>o</sup> 2 E. 2<sup>d</sup> Mer. Ind<sup>a</sup>.



Surreyed in 1838 by Ar. St. C. Vance. D.S.

I hereby certify that the above is a true copy of the  
Original plat in this Office.

Surveyor General's Office,  
Detroit Nov. 1. 1849.

Lucius Lyon,

Sur. Genl.